

Introducing

Neo





## Neo Pendant



#### **FEATURES**

- Fully luminous shade provides visual presence with soft, uniform illumination, and optimal 60/40 distribution
- Up to 111+ lumens per watt
- Three sizes 18", 24", and 36" provide visual scale to fit numerous applications
- Offered with a wide range of CCTs 2700K-3000K-3500K-4000K [80+ CRI] or [90+ CRI & R9 > 50]
- The surface luminance is maintained across the series for consistency in appearance in mixed use applications, but also is dramatically lower than **WELL** and **LEED** specifications at < 1600 cd m/2
- Minimal glare (UGR see spec sheet for details)
- Easily cleanable and wipeable outer surface
- LED arrays and drivers are easily accessible and maintainable
- Shapes and sizes identical to OCL's popular <u>Nova</u> series which allows seamless usage of both products in a single spaces
- ETL listed to UL Standards for damp location (ULD option)
- Meets RoHS V3



## Neo Pendant



#### **CONSTRUCTION**

- The shade is a fully enclosed, seamless, one-piece molded acrylic that is durable and designed to last for generations
- The fixture is fully sealed to eliminate dust and debris from getting inside
- Impact resistant rugged and robust diffuser construction withstands bumps,
  hits, and strikes that traditional acrylic or glass may not
- The upper covers are die-cast aluminum
- High density, mid-power LED arrays scaled for each size shade
- Field adjustable suspension lengths simplify ordering and installation



# The Neo Family is Growing..

### **COMING IN 2023**

- Outdoor, fully wet-location pendant
- Surface mount indoor and outdoor option
- Warm dim and RGBW















